



New to our hire fleet is the 4.5t electric/hydraulic winch, designed with outstanding safety and control features makes this an industry leading piece of equipment suited to a broad range of applications.

Remote control operation now allows the operator to work at a safe distance from the winch and to maintain a view on the load. The remote control has a proportional control switch that controls the winch from slow creep through a variable speed range to 12m/min average.

Other unique features include;

- E-stop button (three E-stops on the winch in total)
- Load sensing pin on the front sheave with digital display at remote control
- Auto feeding Archemedis screw wire feeder that lays the wire L-R-L in even layers
- Wire rope distance measuring gauge displaying at remote control
- Green/Amber/Red Christmas tree light tower indicates winch in operation and overload
- Secondary control lever at main panel
- Fully guarded drum
- Precise line speed control



**Australia's Best
Range of Quality
Heavy Rigging Gear**

CALL 03 8360 8910

email sales@dynamicrigging.com.au

website dynamicrigginghire.com.au

96 North View Drive Sunshine West Vic. 3020



Specifications

Wire rope

- fitted as standard - 200m of 18mm 6x36 Grade 1960 RHOL compacted with ferrule made thimble eye. Charges apply where hirer damages wire rope.

Frame

- Fully fabricated, banded floor to accommodate oil volume in the event of hydraulic oil release.
- Forklift tubes incorporated into frame for loading
- Centre lift mast for lifting/placement by crane
- Corner anchor/tethering eyes for securing winch
- Fully caged (except for front) with door to control panel
- Fold up operator protection screen

Power unit

- 15kW 4 pole 415v electric motor
- Power lead 6m
- Hydraulics 50l/min @ 180bar with 130lt hydraulic oil reservoir, filtered
- Oil level sight glass
- Safety check valves



Line pull ratings

	LINE PULL	ROPE CAPACITY	TOTAL ROPE CAPACITY
Layer1	7,161kg	26.6	26.6
Layer2	6,404kg	29.7	56.3
Layer3	5,792kg	32.9	89.2
Layer4	5,286kg	36.0	125.2
Layer5	4,862kg	39.1	164.3
Layer6	4,501kg	42.3	206.6

**Australia's Best
Range of Quality
Heavy Rigging Gear**

CALL 03 8360 8910

email sales@dynamicrigging.com.au
website dynamicrigginghire.com.au
96 North View Drive Sunshine West Vic. 3020



**Australia's Best
Range of Quality
Heavy Rigging Gear**

CALL 03 8360 8910

email sales@dynamicrigging.com.au
website dynamicrigginghire.com.au
96 North View Drive Sunshine West Vic. 3020